

KONE E MiniSpace™ DX visual options

This reliable and cost-effective elevator solution for residential buildings is durable, connected, easy to maintain, and available with clear specifications and carefully selected design options.

Key specifications

- API ready
- Connected
- Max. speed 3.0 m/s
- Max. load capacity 1,350 kg
- Max. travel 160 m
- Max. floors 63
- Max. persons 18
- Max. group size 4

Walls

Brushed stainless steel


A
316 grade stainless steel


F
304 grade stainless steel


ST4
Silver ST4AFP with anti-fingerprint coating


ST4LH
Silver long hairline


ST2
Gold
ST2AFP with anti-fingerprint coating


ST5P
Mocha Bronze


ST6
Bronze
ST6AFP with anti-fingerprint coating


ST7P
Titanium black


ST8
Champagne Gold


CB
Carbon black short with anti-fingerprint coating


ST43
Silver


ST43LH
Silver long hairline

Painted steel

PP10FT
Pure White, fine textured
RAL 9010

PP20FT
Wool Gray, fine textured
RAL 0808005

Metallic printed steel


MS1
Metallic Champagne


MS2
Metallic Coffee


MS3
Metallic Grey


METP8
Morning Mist Gold


METP9
Warm Stone Gold


METP10
Bronzed Dusk Gold

Pattern printed steel

RS1
White rock pattern printed steel


RS2
Grey rock pattern printed steel

Wooden printed steel


WS1
Light wooden


WS2
Warm wooden


WS3
Dark wooden


WS5
White oak

Mirror-polished stainless steel


MP1
Silver


MP4
Copper


MP5
Carbon Black

Textured stainless steel


K
Scottish Quad


TS1
Flemish Linen, Silver

Note:
- Nordic Swan Ecolabel
- LEED/BREEAM
- * Anti-stain, anti-fingerprint coating: This specialized coating helps keep colored stainless steel elevator materials looking as good as new by preventing staining and making fingerprints less visible.

Floors

Single-color pvc


D6
Light Brown


D25
Rocky Gray

D32
Nordic White


D33
Sandstone Brown


D34
Laurent Black

Patterned pvc


DG07


DG15
Himalayan Grey


DG16
Warm Sand


DG17
Grey Sand

PVC Floor customization



Marble tile


MT1
Elegant Black


MT2
Frosty Gray

MT3
White Marble

Note:
Nordic Swan Ecolabel
LEED/BREEAM



Doors

Brushed stainless steel

ST4
Silver
ST4AFP with anti-fingerprint coating

ST4LH
Silver long hairline

ST2
Gold
ST2AFP with anti-fingerprint coating

ST5P
Mocha Bronze

ST6
Bronze
ST6AFP with anti-fingerprint coating

ST7P
Titanium black

ST8
Champagne Gold

CB
Carbon black short with anti-fingerprint coating

ST43
Silver

ST43LH
Silver long hairline

Painted steel

PP10FT
Pure White, fine textured
RAL 9010

PP20FT
Wool Gray, fine textured
RAL 0808005

Metallic painted steel

METP7FT
Metallic Black, fine textured
RAL 9004

Textured stainless steel

K
Scottish Quad



Note:
- Nordic Swan Ecolabel
- LEED/BREEAM
- * Anti-stain, anti-fingerprint coating: This specialized coating helps keep colored stainless steel elevator materials looking as good as new by preventing staining and making fingerprints less visible.

Ceilings



CL71
Lighting: LED stripes
Finishing: ST4, ST43



CL80
Lighting: LED spot
Finishing: ST4, ST43, PP10FT, MP1



CL82
Lighting: LED spot
Finishing: ST4, ST43, PP10FT, MP1



CL91
Lighting: LED tubes
Finishing: ST4, PP10FT, ST43



CL109
Lighting: LED PCB
Finishing: ST4, PP10FT



CL12
Lighting: LED
Finishing: ST43, PP10FT



LF18
lighting: LED Strip
finishing: ST4, ST43, MP1, PP10FT



LF21S
Lighting: LED strip plus spot light
Finishing: PP10FT, ST4, ST43, MP1



LF71S
Lighting: LED stripes
Finishing: ST4, ST43



LF80S
Lighting: LED spot
Finishing: ST4, ST43, MP1, PP10FT



LF91S
Lighting: LED strips
Finishing: PP10FT ST4 ST43 MP1

Finishes

- Silver (ST4)
- Gold (ST2)
- Copper (ST5)
- Bronze (ST6)
- Carbon Black (ST7)
- Carbon Black (P70) (anti-bacteria)
- Champagne (ST8)
- Silver (ST43)
- Pure white (PP10FT)
- Silver (MP1)

Handrails



HR24R
Silver brushed stainless steel AISI304



HR61
Brushed stainless steel, silver, gold, copper, bronze, carbon black, champagne gold, or P70 anti-bacteria finishing



HR31
Round aluminum with black plastic end



HR64
Brushed stainless steel, silver, gold, copper, bronze, carbon black, champagne gold, or P70 anti-bacteria finishing

Skirtings



HR61
Brushed stainless steel, silver, gold, copper, bronze, carbon black, champagne gold, or P70 anti-bacteria finishing

KDS 220 - Carefully crafted reliability

Car operating panel (COP)



Full height COP



Partial hieght COP

The KDS 220 signalization family provides excellent usability and reliability in a timeless design. Bright contrast LED or LCD displays and black and white operating buttons provide clear guidance for passengers inside the elevator car and on landings, while the sleek steel and tempered glass materials are stylish and durable.



Horizontal COP (SEC keypad)



Horizontal COP (TTC keypad)



Horizontal COP (KDS floor button)

Faceplate finishes

Silver (ST4AFP)
with anti-fingerprint coating

Mounting types

Surface mounted: landing, partial height & horizontal COP
Flush mounted: full-height COP

Display

7-segment, dot-matrix. STN LCD
Amber LED, White LED

Hall lanterns and indicators



HI HL

Buttons

Round surface mounted, Braille as an option, Square surface mounted with braille for EN81-70-2018, Relief marking round surface button for EN81-70_2021_A1



Silver stainless steel with Braille Black glass



Silver stainless steel Relief marking round surface

Landing devices



Duplex LCI Simplex LCI

Landing call station



LCS without indicator

KSS 280 – Modern durability

Car operating panel (COP)



KSC 288
Full height,
Flush mounted



KSC 276
Full height,
Flush mounted



KSC 286
Partial height,
Surface mounted

The KSS 280 signalization family is designed to provide simple, reliable guidance in low and medium-rise residential buildings. Available with a partial or full-height COP, it features a sleek, hardwearing stainless steel faceplate and clear segmented LCD displays for the COP and landing devices.

reddot design award
winner 2012

Faceplate finishes

Asturias Satin (F)

Displays

Segmented LCD
LED display (KSH 280)

Landing devices



KSI 286 KSH 280 KSJ 280 KSL 270



KSL 280 KSL 284 KSL 286 Simplex KSL 286 Duplex

Design online with KONE Studio

Explore different elevator options and configurations online before starting a new project. Make the right design choices, use the correct dimensions and get accurate planning specifications.

Design with 3D visuals

Find the look you love with a simple, easy-to-use and free online design tool.

Use exact building specifications

Optimize planning with accurate and always up-to-date product data.

Save project details

Test and finalize your custom designs, then make changes later if needed.

Export CAD and BIM drawings

Identify potential issues and plan ahead to avoid surprises during construction.



Scan the QR code to try the KONE Studio

www.kone.com/[UPDATE URL & QR]

KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings. We support our customers every step of the way: from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in managing the smooth flow of people and goods throughout buildings. This makes us a reliable partner throughout the building life cycle. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE 24/7 Connected Services and KONE UltraRope®. KONE employs over 60,000 dedicated experts to serve you globally and locally.

KONE Corporation

Corporate offices
Keilasatama 3
P.O. Box 7
Espoo, 02150
Finland

Tel.: +358 (0)204 75 1
Fax: +358 (0)204 75 4496

Business Identity Code: 1927400-1

This publication is for general informational purposes only and we reserve the right at any time to alter the product design and specifications. No statement this publication contains shall be construed as a warranty or condition, express or implied, as to any product, its fitness for any particular purpose, merchantability, quality or representation of the terms of any purchase agreement. Minor differences between printed and actual colors may exist. KONE MonoSpace® DX, KONE EcoDisc® and People Flow® are registered trademarks of KONE Corporation.
Copyright © 2025 KONE Corporation.

www.kone.com

Dedicated to
People Flow™