

The background of the page is a close-up photograph of an elevator control panel. The panel is dark grey or black with a red LED display showing an upward arrow and the number "8". Below the display is a circular speaker grille. At the bottom of the panel, there is a grid of circular buttons numbered 11 through 24. The top part of the panel is slightly out of focus, showing a red emergency stop button and ventilation grilles.

# KONE SIGNALIZATION

KSD50

# CAR OPERATING PANEL (COP)

## Display type

- 7-segment or dot matrix, red with black background
- LCD: white with blue or black background

## Languages

- English
- Simplified Chinese
- Traditional Chinese

## Faceplate material

- Brushed stainless steel
- Black electroplated stainless iron

## Mounting method

- Flush mounted for full height
- Surface mounted for partial height

## Button shape/ Mounting method

- Round
- Surface mounted

## Button material

- Black plastic (no Braille)
- Brushed stainless steel

## Braille:

- Optional

## Call register buzzer/ Gong on ceiling

- Optional

200 mm



**Partial height COP-1**  
Black electroplated stainless iron faceplate

180 mm



**Partial height COP-2**  
Brushed stainless steel faceplate

225 mm



**Full height COP**  
Brushed stainless steel faceplate

Car height

## HANDICAP OPERATING PANEL (OPTIONAL)

560 mm

32 mm




200 mm

Black plastic faceplate

800 mm

32 mm



230 mm

Stainless steel faceplate

## BUTTONS FOR COPS



Black plastic



Brushed stainless steel




Brushed stainless steel with Braille


∅ 35 mm

# LANDING DEVICES

## HALL INDICATOR (HI)



## HALL LANTERN (HL)



## LANDING CALL STATION (LCS)



## LANDING CALL STATION WITH INDICATOR (LCI)



## BUTTONS FOR LANDING DEVICES



Black plastic



Brushed stainless steel



Brushed stainless steel with Braille

Ø 35 mm

### Display type

- 7-segment or dot matrix, red with black background
- LCD: white with blue or black background

### Languages

- English
- Simplified Chinese

### Finishing

- Brushed stainless steel
- Black plastic

### Mounting method

- Surface mounted

### Button shape

- Round

### Button material

- Black plastic (no Braille)
- Brushed stainless steel

### Braille

- Optional

### Call register buzzer/

### Gong on ceiling

- Optional

All pictures are for reference purposes only. Please contact KONE Sales for more information.

KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings.

We support our customers every step of the way: from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in managing the smooth flow of people and goods throughout buildings.

This makes us a reliable partner throughout the life cycle of buildings. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE MonoSpace®, KONE NanoSpace™ and KONE UltraRope®.

KONE employs over 55,000 dedicated experts to serve you globally and locally.

## KONE CORPORATION

### Head office

Kartanontie 1  
P.O. Box 8  
FI-00331 Helsinki  
Finland  
Tel. +358 (0)204 751

### Corporate offices

Keilasatama 3  
P.O. Box 7  
FI-02151 Espoo  
Finland  
Tel. +358 (0)204 751

[www.kone.com](http://www.kone.com)